

# JBC

[www.jbctools.com](http://www.jbctools.com)



## Premium Line

The complete solution for extensive use with extraordinary thermal performance

Ready to use

equipment with  
all necessary  
items

Stackable  
modules **save**  
**work space**

Fully  
**compatible**  
**Tools** with all  
control units

Easy-to-use  
menu helps  
work more  
comfortable

**JBC**  
www.jbctools.com

## Premium stations

### Soldering stations

#### DIT-2D

##### Soldering station

For industrial solering jobs with medium and high power requirements.


Includes **T245-C** Soft Thermal Insulator Soldering Iron.

#### DIR-2D

##### Precision Soldering station

For industrial precision soldering jobs with medium power requirements.

Includes **T210-A** Precision Purpose Soldering Iron.



#### AL-2A

##### Auto-feed

##### Soldering station

For extensive soldering applications or when a free hand is required.

Automates the soldering process by feeding solder wire.

It is possible to select the length and the speed of the tin wire.



### Desoldering stations

For desoldering small and medium-sized insertion components and for cleaning circuits with SMD components.

#### DSS-2D

##### Micro Desoldering station with Electric pump

Includes **MS-A** Electric Desolering Module and **DS360-A** Micro Desoldering Iron.

#### DIS-2D

##### Desoldering station with Electric pump

Includes **MS-A** Electric Desoldering Module and **DR560-A** Desoldering Iron.

#### DIV-2D

##### Desoldering station with Pneumatic pump

Includes **MV-A** Pneumatic Desoldering Module and **DR560-A** Desoldering Iron. A compressed air source is necessary at the operator's bench.



### Rework stations

For soldering and desoldering all types of components quickly and safely. Work simultaneously with up to 3 different tools.

#### DDSE-2A

##### Rework station with Electric pump

Includes **MSE-A** Electric Desoldering Module.

#### DDVE-2A

##### Rework station with Pneumatic pump

Includes **MVE-A** Pneumatic Desoldering Module. A compressed air source is necessary at the operator's bench.



#### RMSE-2A

##### Complete Rework station with Electric pump

A complete solution for soldering and desoldering even using hot air with all the necessary accessories.

#### RMVE-2A

##### Complete Rework station with Pneumatic pump



### Hot Air stations

For soldering and desoldering all types of SMD using jointly extractors and protectors.

#### JT-2C

##### Hot Air station

Includes **JT-TA** Heater Hose set.

#### TE-2C

##### Precision Hot Air station

Includes **TE-TB** Heater Hose set.

#### JT-2QC & TE-2QC

##### Hot Air stations without extractor desk



### Top Stations

Specially designed equipment for applications requiring the highest thermal demands or the highest precision.

#### HDE-2A

##### Heavy Duty station

For intensive soldering jobs requiring prolonged and high thermal demands.

#### NASE-2A

##### Nano Rework station

For very small-sized components requiring highest precision. Includes **NT105-A** Nano Purpose Soldering Iron and **NP105-A** Nano Tweezers.

#### NANE-2A

##### Nano Soldering station

Includes two **NT105-A** Nano Purpose Soldering Irons.




## Why JBC? + solutions efficiency productivity

— JBC  
— Other Top brand

### Exclusive Heating System


350°C in 2 seconds




JBC means you save time and increase productivity.

Efficient temperature control

Comparative process of 3 solder joints



JBC irons maintain an optimal temperature range to obtain greater quality and increased productivity.



JBC stations features the Sleep & Hibernation functions that lower tip temperature when the tool is not being used. As a result, a tip's life lasts up to 5 times longer. As a result, the tip life increases exponentially.

The **best choice**  
for the electronics professional